



**BUREAU  
VERITAS**

# TEST REPORT

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 1 OF 13

Applicant:

**SHAOXING SHANGYU NORTH ELECTRON MANUFACTURE CO.,LTD.**  
XINGYUE INDUSTRY ZONE, XIAOYUE TOWN,SHANGYU DISTRICT,SHAOXING  
CITY,ZHEJIANG,P.R.CHINA

Date of Submission: 2025-3-25  
Test Period: 2025-3-25 to 2025-3-28  
Sample Mode: Sample Presentation  
BV EE Ref. No.: /

|                     |                |                                                         |                 |
|---------------------|----------------|---------------------------------------------------------|-----------------|
| Sample Description: |                | Sample(s) received is(are) stated to be:<br>MINI FRIDGE |                 |
| Manufacturer:       | /              | Buyer:                                                  | /               |
| Style No(s):        | LY0204E,LY2107 | PO No.:                                                 | /               |
| Country of Origin:  | /              | Country of Destination:                                 | Oversea Country |

## SUMMARY OF TEST RESULTS

| TEST REQUESTED                                                                                                                                                                                                       | CONCLUSION |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Compliance Test - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments (EU) 2015/863 | PASS       |

Note: The below results of item 1-80 are transferred from item 1-80 of (6624)031-0519 dated February 7, 2024.

### REMARK

If there are questions or concerns on this report, please contact the following persons:

General enquiry and invoicing

Technical enquiry

Mr. Speed Yu/ Ms. Cabell Chen  
(021) 24166888\*6832/6850  
Speed.yu @bureauveritas.com/ cabell.chen@bureauveritas.com  
Mr. Gorden Yu/ Ken He  
(021) 24166888\*6852/6859  
Gorden.yu @bureauveritas.com/ Kenny.he@bureauveritas.com

### BUREAU VERITAS CONSUMER PRODUCTS SERVICES DIVISION (SHANGHAI)

Laboratory Test Location:

No.368,Guangzhong Road, Zhuanqiao Town, Minhang, Shanghai  
No.168,Guanghua Road, Zhuanqiao Town, Minhang, Shanghai

PREPARED BY: AVA YU

APPROVED BY: Lynd Lv  
Technical Specialist



Bureau Veritas  
Consumer Products Services Division  
(Shanghai)  
No.168, Guanghua Road , Zhuanqiao Town,  
Minhang, Shanghai, China.  
Post Code: 201108  
Tel: 86-21-24166888 Fax: 86-21-64890042  
Email: bvcpsh\_info@cn.bureauveritas.com  
Http: www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 2 OF 13

**Photo of the Submitted Sample**



**66250841059**



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 3 OF 13

### TEST RESULT

**Compliance Test - Heavy Metals, Flame Retardants Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments**

Test Method : See Appendix.

**See Analytes and their corresponding Maximum Allowable Limit in Appendix**

| -         |                                           |          | Result    |              |              |                     |              | Conclusion |
|-----------|-------------------------------------------|----------|-----------|--------------|--------------|---------------------|--------------|------------|
| Parameter |                                           |          | Lead (Pb) | Cadmium (Cd) | Mercury (Hg) | Chromium VI (Cr VI) | PBBs & PBDEs |            |
| Unit      |                                           |          | mg/kg     | mg/kg        | mg/kg        | mg/kg               | mg/kg        | -          |
| Test Item | Description                               | Location | -         | -            | -            | -                   | -            | -          |
| 1         | Silvery metal                             | Housing  | ND        | ND           | ND           | Negative*           | NA           | PASS       |
| 2         | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 3         | Black sponge                              |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 4         | White plastic                             |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 5         | White plastic                             |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 6         | Transparent plastic                       |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 7         | Transparent plastic                       |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 8         | White plastic                             |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 9         | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 10        | Silvery metal                             |          | <500      | ND           | ND           | Negative*           | NA           | PASS       |
| 11        | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 12        | Grey plastic                              |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 13        | Silvery metal                             |          | ND        | ND           | ND           | Negative*           | NA           | PASS       |
| 14        | Transparent glass                         |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 15        | White plastic                             |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 16        | Grey plastic                              |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 17        | Black plastic                             |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 18        | Black plastic                             | Inside   | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 19        | Blue plastic wire jacket                  |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 20        | Brown plastic wire jacket                 |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 21        | Black plastic                             |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 22        | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 23        | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 24        | Silvery metal solder                      |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 25        | White glue                                |          | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 26        | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 27        | Silvery plastic label with black printing | Fan      | ND        | ND           | ND           | ND                  | ND           | PASS       |
| 28        | Black plastic                             |          | ND        | ND           | ND           | ND                  | <500*        | PASS       |
| 29        | Black plastic                             |          | ND        | ND           | ND           | ND                  | <500*        | PASS       |
| 30        | Silvery metal                             |          | ND        | ND           | ND           | ND                  | NA           | PASS       |
| 31        | Black magnet                              |          | ND        | ND           | ND           | <500                | NA           | PASS       |
| 32        | Green PCB                                 |          | ND        | ND           | ND           | ND                  | ND           | PASS       |



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 4 OF 13

| -         |                                   |            | Result               |              |              |                     |              |                 |
|-----------|-----------------------------------|------------|----------------------|--------------|--------------|---------------------|--------------|-----------------|
| Parameter |                                   |            | Lead (Pb)            | Cadmium (Cd) | Mercury (Hg) | Chromium VI (Cr VI) | PBBs & PBDEs | Conclusion      |
| Unit      |                                   |            | mg/kg                | mg/kg        | mg/kg        | mg/kg               | mg/kg        | -               |
| Test Item | Description                       | Location   | -                    | -            | -            | -                   | -            | -               |
| 33        | Silvery metal solder              | Fan        | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 34        | White plastic                     | PCB        | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 35        | Yellow plastic wire jacket        |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 36        | Red plastic wire jacket           |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 37        | Black plastic wire jacket         |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 38        | Red plastic wire jacket           |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 39        | Black plastic wire jacket         |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 40        | Green LED                         |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 41        | Brown EC                          |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 42        | Silvery metal                     |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 43        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | <500*        | PASS            |
| 44        | Brown plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 45        | Silvery metal                     |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 46        | Green PCB                         |            | ND                   | ND           | ND           | ND                  | <500*        | PASS            |
| 47        | Silvery metal solder              |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 48        | Red plastic wire jacket           |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 49        | Black plastic wire jacket         |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 50        | Black EC                          |            | <500                 | ND           | ND           | ND                  | <500*        | PASS            |
| 51        | Blue EC                           |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 52        | Black EC                          |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 53        | Black EC                          |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 54        | Grey EC                           |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 55        | Yellow plastic                    |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 56        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 57        | Red plastic                       |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 58        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 59        | Green plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 60        | Yellow plastic                    |            | ND                   | ND           | ND           | ND                  | ND*          | PASS            |
| 61        | Silvery metal solder              | Power cord | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 62        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 63        | Blue plastic wire jacket          |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 64        | Brown plastic wire jacket         |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 65        | Golden metal with silvery plating |            | 1.01x10 <sup>4</sup> | ND           | ND           | ND                  | NA           | EX <sup>#</sup> |
| 66        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 67        | Black plastic                     |            | <500                 | ND           | ND           | ND                  | ND*          | PASS            |
| 68        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 69        | Red plastic                       |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 70        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 5 OF 13

| -         |                                   |            | Result               |              |              |                     |              |                 |
|-----------|-----------------------------------|------------|----------------------|--------------|--------------|---------------------|--------------|-----------------|
| Parameter |                                   |            | Lead (Pb)            | Cadmium (Cd) | Mercury (Hg) | Chromium VI (Cr VI) | PBBs & PBDEs | Conclusion      |
| Unit      |                                   |            | mg/kg                | mg/kg        | mg/kg        | mg/kg               | mg/kg        | -               |
| Test Item | Description                       | Location   | -                    | -            | -            | -                   | -            | -               |
| 71        | Silvery metal                     | Power cord | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 72        | Silvery metal solder              |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 73        | Golden metal with silvery plating |            | 2.20x10 <sup>4</sup> | ND           | ND           | ND                  | NA           | EX <sup>#</sup> |
| 74        | Silvery metal                     |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 75        | Silvery metal solder              |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 76        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 77        | Blue plastic wire jacket          |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 78        | Brown plastic wire jacket         |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 79        | Golden metal                      |            | ND                   | ND           | ND           | ND                  | NA           | PASS            |
| 80        | Black plastic                     |            | ND                   | ND           | ND           | ND                  | ND           | PASS            |
| 81        | Blue plastic                      | Housing    | ND                   | ND           | ND           | ND                  | ND           | PASS            |

**Note / Key :**

ND = Not detected  
NR = Not requested  
Detection Limit: See Appendix.

">" = Greater than  
mg/kg = milligram(s) per kilogram = ppm = part(s) per million  
NA = Not applicable

"<" = Less than  
EX = Exempted

**Remark :**

- The testing approach is listed in table of Appendix.
- \* denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Parliament and Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- For item 65,73:  
#According to Annex III of European Council Directive 2011/65/EU, exemptions were granted a few materials and Clause 6(c) is reiterated here "Copper alloy containing up to 4 % lead by weight.". Test Item(s) was (were) claimed as is by client (received as is). Therefore, this (these) Test Item(s) containing the found lead level should be exempted.



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 6 OF 13

### TEST RESULT

#### Compliance Test - Phthalate Test – (EU) 2015/863 amending Annex II to Directive 2011/65/EU

**Test Method** : Reference to IEC 62321-8: 2017.

**Maximum Allowable Limit : 0.1% (Each)**

| Parameter                        | CAS No.  | Unit | MDL   | Result                   |                    |                    |
|----------------------------------|----------|------|-------|--------------------------|--------------------|--------------------|
|                                  |          |      |       | 40+41+50+51<br>+52+53+54 | 18+19+20+21<br>+25 | 35+36+37+38<br>+39 |
| Dibutyl phthalate (DBP)          | 84-74-2  | %    | 0.005 | ND                       | ND                 | ND                 |
| Butyl benzyl phthalate (BBP)     | 85-68-7  | %    | 0.005 | ND                       | ND                 | ND                 |
| Di-2-ethylhexyl phthalate (DEHP) | 117-81-7 | %    | 0.005 | ND                       | ND                 | ND                 |
| Diisobutyl phthalate (DIBP)      | 84-69-5  | %    | 0.005 | ND                       | ND                 | ND                 |
| <b>Conclusion</b>                | -        | -    | -     | PASS                     | PASS               | PASS               |

| Parameter                        | CAS No.  | Unit | MDL   | Result             |          |          |
|----------------------------------|----------|------|-------|--------------------|----------|----------|
|                                  |          |      |       | 48+49+62+63<br>+64 | 66+70+76 | 77+78+80 |
| Dibutyl phthalate (DBP)          | 84-74-2  | %    | 0.005 | ND                 | ND       | ND       |
| Butyl benzyl phthalate (BBP)     | 85-68-7  | %    | 0.005 | ND                 | ND       | ND       |
| Di-2-ethylhexyl phthalate (DEHP) | 117-81-7 | %    | 0.005 | ND                 | ND       | ND       |
| Diisobutyl phthalate (DIBP)      | 84-69-5  | %    | 0.005 | ND                 | ND       | ND       |
| <b>Conclusion</b>                | -        | -    | -     | PASS               | PASS     | PASS     |

| Parameter                        | CAS No.  | Unit | MDL   | Result                              |                                               |                              |      |
|----------------------------------|----------|------|-------|-------------------------------------|-----------------------------------------------|------------------------------|------|
|                                  |          |      |       | 3+4+5+6<br>+7<br>+8+12+1<br>5+16+17 | 27+28+2<br>9+32+34<br>+43+44<br>+46+55+<br>56 | 57+58+5<br>9+60+67<br>+68+69 | 81   |
| Dibutyl phthalate (DBP)          | 84-74-2  | %    | 0.005 | ND                                  | ND                                            | ND                           | ND   |
| Butyl benzyl phthalate (BBP)     | 85-68-7  | %    | 0.005 | ND                                  | ND                                            | ND                           | ND   |
| Di-2-ethylhexyl phthalate (DEHP) | 117-81-7 | %    | 0.005 | ND                                  | ND                                            | ND                           | ND   |
| Diisobutyl phthalate (DIBP)      | 84-69-5  | %    | 0.005 | ND                                  | ND                                            | ND                           | ND   |
| <b>Conclusion</b>                | -        | -    | -     | PASS                                | PASS                                          | PASS                         | PASS |





Note: mg/kg= milligram per kilogram    % = percentage    1 mg/kg = 0.0001%  
MDL = Method Detection Limit    ND = Not Detected (< MDL)    “-“ = Not Regulated



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 7 OF 13




Comment :

| Photograph(s) [ Compliance Test for European Parliament and Council Directive 2011/65/EU ] : |                                                                                      |
|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Photograph depicting Test Item(s)                                                            |                                                                                      |
|             |    |
|            |   |
|           |  |



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 8 OF 13












**BUREAU  
VERITAS**






LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 9 OF 13





**BUREAU  
VERITAS**


LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 10 OF 13





**BUREAU  
VERITAS**

**LAB NO. : (6625)084-1059**  
**DATE : March 28, 2025**  
**PAGE : 11 OF 13**



END



**BUREAU  
VERITAS**

**LAB NO. : (6625)084-1059**  
**DATE : March 28, 2025**  
**PAGE : 12 OF 13**

#### APPENDIX

**List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [ Compliance Test for European Parliament and Council Directive 2011/65/EU ] :**

| No. | Name of Analyte(s)                                                                                                                                                                                                                                                                                                                                                                                                                 | Detection Limit (mg/kg)                 |                            |        |                                                                 | Maximum Allowable Limit (mg/kg) |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|----------------------------|--------|-----------------------------------------------------------------|---------------------------------|
|     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | X-ray fluorescence (XRF) <sup>[a]</sup> |                            |        | Wet Chemistry                                                   |                                 |
|     |                                                                                                                                                                                                                                                                                                                                                                                                                                    | Plastic                                 | Metallic / glass / ceramic | Others |                                                                 |                                 |
| 1   | Lead (Pb)                                                                                                                                                                                                                                                                                                                                                                                                                          | 100                                     | 200                        | 200    | 10 <sup>[b]</sup>                                               | 1 000                           |
| 2   | Cadmium (Cd)                                                                                                                                                                                                                                                                                                                                                                                                                       | 50                                      | 50                         | 50     | 10 <sup>[b]</sup>                                               | 100                             |
| 3   | Mercury (Hg)                                                                                                                                                                                                                                                                                                                                                                                                                       | 100                                     | 200                        | 200    | 10 <sup>[c]</sup>                                               | 1 000                           |
| 4   | Chromium (Cr)                                                                                                                                                                                                                                                                                                                                                                                                                      | 100                                     | 200                        | 200    | NA                                                              | NA                              |
| 5   | Chromium VI (Cr VI)                                                                                                                                                                                                                                                                                                                                                                                                                | NA                                      | NA                         | NA     | 3 <sup>[g, h]</sup> / 10 <sup>[d]</sup> / See <sup>[e, i]</sup> | 1 000 / Negative <sup>[i]</sup> |
| 6   | Bromine (Br)                                                                                                                                                                                                                                                                                                                                                                                                                       | 200                                     | NA                         | 200    | NA                                                              | NA                              |
| 7   | Polybromobiphenyls (PBBs)<br>- Bromobiphenyl (MonoBB)<br>- Dibromobiphenyl (DiBB)<br>- Tribromobiphenyl (TriBB)<br>- Tetrabromobiphenyl (TetraBB)<br>- Pentabromobiphenyl (PentaBB)<br>- Hexabromobiphenyl (HexaBB)<br>- Heptabromobiphenyl (HeptaBB)<br>- Octabromobiphenyl (OctaBB)<br>- Nonabromobiphenyl (NonaBB)<br>- Decabromobiphenyl (DecaBB)                                                                              | NA                                      | NA                         | NA     | Each 50 <sup>[f]</sup>                                          | Sum 1 000                       |
| 8   | Polybromodiphenyl ethers (PBDEs)<br>- Bromodiphenyl ether (MonoBDE)<br>- Dibromodiphenyl ether (DiBDE)<br>- Tribromodiphenyl ether (TriBDE)<br>- Tetrabromodiphenyl ether (TetraBDE)<br>- Pentabromodiphenyl ether (PentaBDE)<br>- Hexabromodiphenyl ether (HexaBDE)<br>- Heptabromodiphenyl ether (HeptaBDE)<br>- Octabromodiphenyl ether (OctaBDE)<br>- Nonabromodiphenyl ether (NonaBDE)<br>- Decabromodiphenyl ether (DecaBDE) | NA                                      | NA                         | NA     | Each 50 <sup>[f]</sup>                                          | Sum 1 000                       |

NA = Not applicable IEC = International Electrotechnical Commission

[a] Test method with reference to International Standard IEC 62321-3-1: 2013.

[b] Test method with reference to International Standard IEC 62321-5: 2013.

[c] Test method with reference to International Standard IEC 62321-4: 2013+AMD1: 2017.

[d] Polymers and Electronics - Test method with reference to International Standard IEC 62321-7-2: 2017.

[e] Metal - Test method with reference to International Standard IEC 62321-7-1: 2015.

[f] Test method with reference to International Standard IEC 62321-6: 2015.

[g] Leather - Test method International Standard ISO 17075: 2017.

[h] Other Than Metal, Leather, Polymers and Electronics - Test method with reference to International Standard ISO 17075: 2017.

[i] Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Parliament and Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1).

#### Testing Approach [ Compliance Test for European Parliament and Council Directive 2011/65/EU ] :

The testing approach was with reference to the following document(s).

- 1 International Standards IEC 62321-1: 2013 and IEC 62321-2: 2021
- 2 "RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcement Authorities Informal Network. (May 2006)
- 3 "RoHS Regulations - Government Guidance Notes" by United Kingdom Department for Business Innovation & Skills. (February 2011)
- 4 "Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by Belgium Federal Public Service Health, Food Chain Safety and Environment. (November 2005)



**BUREAU  
VERITAS**

LAB NO. : (6625)084-1059  
DATE : March 28, 2025  
PAGE : 13 OF 13

### Annex

The client declared that the materials used of below Styles are same as tested style.

CC10G, LY0818A, KWC-4, LY0204A, RJ48-BLACK-4-UK, RJ48-WHITE-4-UK, RJ48-PINK-4-UK, RJ48-BLUE-4-UK, RJ48-BLACK-4-EU, RJ48-WHITE-4-EU, RJ48-PINK-4-EU, RJ48-BLUE-4-EU, LY1904, LY1906, LY2006A, LY2206A, LY0309A, ASIM10N, ASIM10S, RJ48-BLACK-DE-UK, RJ48-BLACK-DE-EU, RJ48-M-PINK-UK, RJ48-M-WHITE-UK, RJ48-M-BLACK-UK, RJ48-M-BLUE-UK, RJ48-M-PINK-EU, RJ48-M-WHITE-EU, RJ48-M-BLACK-EU, RJ48-M-BLUE-EU, RJ48-4-ML-WHITE-EU, RJ48-4-ML-WHITE-UK, LY0204B, KRT04-BLACK-UK, KRT04-BLUE-UK, KRT04-PINK-UK, SP04, CZ04, DC04, FA04, LY0324, LY2304, LY2306, LY2010.



CZ04LPKC01



CZ04LBKC02



CZ04LWHC03



MZ06LWHC04



MZ06LBKC05



MZ06LPKC11

#### Remark:

Since the client was not able to provide the sample of additional Style, above additional Style(s) hasn't been tested, but only based on the guarantee letter provided by the client. Bureau Veritas-CPS takes no responsibility for any mistakes and the problems of product consistency caused by inaccurate and/or invalid information submitted by the client. The client will take the responsibility of all discrepancy and risk.